

Vended **30- and 45-lb**
Stack Tumble Dryers



VENDED 30- AND 45-LB STACK TUMBLE DRYERS

At Huebsch, our priority is making commercial laundry equipment that's perfectly aligned with your business philosophy. In other words, because you believe that profit is the inevitable result of superior efficiency, durability, simplicity and service, that's exactly what we deliver.

What's more, we deliver it in every facet of our products...

INVEST IN ADVANTAGE

Huebsch tumble dryers maximize profits through superior engineering

Higher capacity

Efficiency means drying more loads, faster. Huebsch offers two drying pockets in the space of one single, increasing capacity to endure peak periods.

Optimum efficiency

Huebsch tumble dryers feature an innovative axial airflow process, reducing energy consumption and producing some of the industry's fastest dry times. Faster drying is less time spent at the laundromat, increasing customer satisfaction, loyalty and store profits.

Collaborative effort

Customers using the higher-capacity washer-extractors will also pay a premium vend for the larger Stack 45. Pairing the profitable Stack 30s with Stack 45s can offer a 44% increase in profit per square foot of tumbler dryers.

Less downtime

Unlike competitors, Huebsch machines are wired individually. So if one should break down, the other unit will continue to work and more importantly, continue to make money.

A CONTEMPORARY STATEMENT PIECE


Designed to convey Huebsch quality and attention to detail

Steeled exteriors

Huebsch's stainless-steel doors curb chipping and incorporate durable latches and hinges to resist wear and keep machines looking sleek.

Galaxy™ 600 controls

Integrating Galaxy 600 controls allows for intuitive operation and simple programming throughout your store with revenue-boosting options. Better yet, it means your Stack 30 and Stack 45 tumble dryers are Huebsch Command™-compatible!



Polished quality

Adding stainless-steel front panels and cylinders gives your machines unparalleled sophistication. This design upgrade highlights to your customers that they are using top-quality equipment.

User-friendly

Huebsch models can be configured with a programmable electronic control that delivers drying options through an intuitive user interface. A large, digital display keeps customers apprised of the time remaining on their cycle.

WORKS FOR YOU

Set to do the job and stays up to the task

Damage-resistant

Our patented, oblong cylinder perforations enable drywall screws forgotten in pockets to pass harmlessly through machines without damaging the tumblers' sweep sheets. This damage-resistant advantage—exclusive to Huebsch machines—can be seen in action at www.huebsch.com.

Low maintenance

Large lint compartments reduce time spent emptying, and a heavy-duty belt delivers a long life to cut maintenance time and costs.



Simple installation

Stacked tumble dryers require single gas, electrical and exhaust connections, making installation faster and less expensive than accommodating multiple single units.

Activation versatility

All Huebsch models can be configured for coin or card activation, letting you choose the payment method that works best for your business.

UNMATCHED DURABILITY

Built with premium materials and tested to meet the demands of the harshest environments, these commercial-grade machines deliver reliable, efficient operation load after load—and they're backed by Huebsch's standard three-year warranty.*

*Parts only, labor not included. See Huebsch Warranty Bond for specifics.



HUEBSCH COMMAND™

Laundromat data and analytics that are custom-made for the way you operate

Huebsch Command lets you use all features of Galaxy™ controls—but now you can access them remotely, from anywhere in the world with an internet connection!



MULTILEVEL VEND
PRICING CHANGES



ADVANCED
PERFORMANCE DATA



REMOTE START AND
SYSTEM MONITORING



SET TIME-OF-DAY/
DAY-OF-WEEK PRICING



SERVICE ALERTS VIA
EMAIL OR TEXT



CONFIGURE MACHINES
FROM THE CLOUD



TURNS PER DAY



100% SUPPORTED
BY HUEBSCH

Vended 30- and 45-lb Stack Tumble Dryers specifications

Models		HTT30	HTT45
Control Options		Galaxy™ 600, Basic Electronic	Galaxy™ 600, Basic Electronic
Capacity lb (kg)		30 (14)	45 (20)
Width – in (mm)		31.5 (800)	34.5 (875)
Depth – in (mm)		42.8 (1090)	48.6 (1235)
Height – in (mm)		76.3 (1940)	81.3 (2065)
Cylinder Depth – in (mm)		26 (660)	30 (762)
Cylinder Diameter – in (mm)		30 (762)	33 (838)
Cylinder Volume – cu ft (liters)		10.6 (300)	14.8 (420)
Door Opening Size – in (mm)		22.6 (575)	22.9 (581)
Air Outlet - in (mm)		1 x 8 (200)	1 x 10 (250)
Motor - HP	Fan Cylinder	0.5 0.3	2 x 0.5
Airflow – cfm		2 x 400	2 x 600
Energy Data		Gas Models – Per Pocket: 73,000 x 2 Btu/hr Steam Models – Per Pocket: 85,400 x 2 Btu/hr Electric Models: 21 x 2 kW	Gas Models – Per Pocket: 95,000 x 2 Btu/hr Steam Models – Per Pocket: N/A Electric Models: N/A
Electrical Specifications		Amps: 16 9 6 6 Electric: N/A N/A 61 x 2 52 x 2 33 x 2 30 x 2 29 x 2 27 x 2	Amps: N/A 12 6 6 N/A N/A N/A N/A N/A N/A N/A N/A
Gas Connections - in (npt)		0.5	0.5
Plumbing Connections – in (mm)		0.75	N/A
Shipping Dimensions Approx. – in (mm)		Width 32.5 (830) Depth 47 (1190) Height 79.9 (2030)	35.5 (900) 54 (1370) 84.9 (2160)
Net Weight – lb (kg)	Gas & Steam Electric	570 (260) / 610 (275) 660 (300)	710 (320) N/A
Shipping Weight – lb (kg)	Gas & Steam Electric	600 (270) / 640 (290) 690 (313)	750 (340) N/A
Agency Approvals		CSA	CSA

Tumble dryer models are made to suit a variety of electrical service characteristics. See your Huebsch distributor for specifications. For further details on installation, refer to Installation, Operation and Maintenance instructions supplied with the tumble dryer. USA and Canada models are certified by CSA International.

For the most accurate information, the installation guide should be used for all design and construction purposes. Due to continuous product improvements, design and specifications subject to change without notice. The quality management system of Alliance Laundry Systems' Ripon facility has been registered to ISO 9001:2000.