

Speed Queen

COIN-OPERATED HORIZON

MICRO-DISPLAY CONTROL

SWFX61 STGY17
SWFY61 STGZ17
SWFZ61 SFEY07
SWRY61 SFEZ07
SWRZ61 SFCY09
STEY17 SFGZ09
STEZ17

NETMASTER™ Models

SWFA61 STEB17
SWFB61 STGB19
SWRB61 SFEB07
STEA17 SFCB09
STGA19

CARDMATE Plus™ Models

SWFF61
SWRF61
STEF17
STGF19
SFEF07
SFGF09



Speed Queen®

BUILT BETTER TO LAST LONGER

LET SPEED QUEEN LEAD THE WAY...

As America's largest commercial laundry equipment manufacturer, Speed Queen stands for innovation. As a leader in laundry technology, our electronically controlled laundry units for coin and card operation will provide you with quality, efficiency, convenience, and flexibility well into the 21st century. Since 1908 we have been committed to our tradition of quality products, backed by superior customer service.

NetMaster™ System

Speed Queen's NetMaster™ System of technologically advanced laundry products offer more flexibility and accountability benefits than you ever thought possible. Now you can program vend prices, cycle times, rinse options, and cycle selections while auditing machine operation simply by touching a series of control pads.



There are three options available to program your machines, manual, Micro-Wand III™ and network with NetMaster™ models.

Whatever your needs, Speed Queen has the right option for you. It's almost like having a washer built to your specifications. Your customers will be amazed at how easy and convenient it is to launder garments. Satisfied customers translate into profits for you.

CardMate Plus™ System

Speed Queen introduces a revolution in laundry room convenience, accountability and profitability.

The CardMate Plus™ System offers the industry's first full line of commercial washers and

dryers with factory-installed, smart-card reader controls on individual laundry units for cashless operation.

Both you and your customers will benefit from the convenience of CardMate Plus™.



HORIZON LINE

Frontload Washer

2.8 Cubic Foot Capacity

A 2.8 cu. ft. capacity wash tub provides a full 18 lb. capacity which is especially useful for those customers with larger loads and bulky items.

A horizontally mounted axis makes loading and unloading easy for everyone. Both of these features can

speed up customer turnover, creating greater profit potential.



Washing Efficiencies

Reduced operating costs are the result of ultra-efficient water usage. A typical load uses less than 23 gallons per cycle, a savings of almost 9 gallons per cycle when compared to toploaders! Lower water usage also means dramatically reduced hot water usage and sewer costs.

Increased Process Speed

An electronically controlled motor, with out-of-balance logic, manages and redistributes unbalanced loads for uninterrupted wash cycles. Our high speed spin of over 1000 RPM also means faster drying cycles and lower energy usage in the dryer.

Controls Up Front

The front placement of the controls and supply dispenser complies with ADA regulations and

maximizes customer convenience. Customers will also value the time-saving feature of the automatic supply dispenser, which eliminates the need to wait around to add detergent, bleach, or softener.



Single Load Dryer

Drying Efficiencies

Fast drying, with heat sources of 25,000 BTU (gas models) or 5350 watts (electric models), ensure customer satisfaction and lower operating costs. This dryer moves 220 cubic feet of air per minute through the cylinder, drying clothes fast.

7.0 Cubic Foot Cylinder Capacity




The industry leading cylinder capacity provides increased tumble action and superior handling of permanent press fabrics.

Accommodates the largest loads for greater customer satisfaction.

Large Door Opening

At 2.06 sq. ft. (1914 sq. cm.), the largest in the industry, our new door opening makes loading and unloading even easier.



Stacked Washer/Dryer

Spacesaving Stacked Unit

Designed as a vertical combination of the frontload washer and dryer, the innovative stacked unit takes up half the floor space that a conventional washer and dryer do when situated side by side.

Convenient Shared Hook-Ups

Both the washer and dryer have the same hook-ups and connections as a standard washer and dryer, so no additional plumbing or electrical changes are required.

See-Thru Doors on Both Machines

Having a window in both the washer and the dryer enables customers to view the entire laundering process. It also allows users to identify units that are available to use - a real benefit in busy locations.



Control Options



Fully programmable
NetMaster™
washer control



Fully programmable
NetMaster™
dryer control



Micro-DISPLAY
washer control (MDC)



Micro-DISPLAY
dryer control (MDC)

Our advanced NetMaster™ and Micro-DISPLAY Control (MDC) makes it easy for customers to locate the vend price, cycle selections, cycle status, and remaining cycle time.

Customers will appreciate knowing the status of their laundry and the ability to be more efficient with their time.


Activation Options



Single
Coin Drop



Dual
Coin Drop



Card-Activated

Speed Queen lets you customize your activation options. Our new single coin drop is now available on our complete line of equipment. Its all-metal design reduces coin jamming and provides superior coin validation. Dual coin drop for International use and a USA dual coin conversion are also available.

The new CardMate Plus™ system offers the convenience and safety of cashless operation.

3 YEAR WARRANTY

At Speed Queen, we're confident that our heavy duty commercial washers and dryers are built better to last longer, that we're offering the following limited warranty to prove it:

Through three years*

Any part of the washer, dryer or stack dryer.

Through five years*

The bearings & bearing seal assembly of the frontload washer.

Through lifetime*

Stainless steel wash tub.

*Parts only, labor not included.
See Speed Queen Warranty Bond for specifics.

HORIZON WASHER, DRYER, STACKED UNIT

SPECIFICATIONS

WASHER

| | |
|--|--|
| | SWFA61 / SWFF61 SWFB61 / SWRF61 SWRB61 SWFX61 SWFZ61 / SWFY61 SWRZ61 / SWRZ61 |
| Width (in/mm) | 26 7/8" (683 mm) |
| Depth (in/mm) | 28" (711 mm) |
| Height (in/mm) | 43" (1092 mm) |
| Water Temperatures | Hot, warm and cold |
| Cycles | Normal, Permanent Press or Delicate |
| Cycle Time | Factory pre-set at 27.75 minutes plus fill |
| Basket Volume | 2.8 cu. ft. (79 liters) |
| Water Pressure | Pressure fill – 20 to 120 psi (1.4/8.3 Bar) |
| Spin Speeds | 500, 650, 1000 rpm |
| Activation | Coin-Op. / Smart-Card |
| Motor HP | Multi-speed, 3/4 HP |
| Top Finish | Porcelain |
| Colors | White / Bisque |
| Electrical Specifications & Circuit Requirements | 120/60/1-15 amp |
| Net Weight | 265 lb (120 kg) |
| Shipping Weight | 290 lb (130 kg) |
| Agency Approvals | UL |

DRYER

| | |
|--|---|
| Electric: | SFEB07 / SFEF07 SFEY07 / SFEZ07 |
| Gas: | SFGB09 / SFGF09 SFGY09 / SFGZ09 |
| Width (in/mm) | 26 7/8" (683 mm) |
| Depth (in/mm) | 28" (711 mm) |
| Height (in/mm) | 43" (1092 mm) |
| Cylinder Volume | 7.0 cu. ft. (201 liters) |
| Motor HP | 1/3 HP, 5.5 amps |
| Heating Element* | 5350 watts, 240 volt |
| Btu Per Hour** | 25,000 (6,300 kcal) |
| Type of Gas (Gas models only) | Factory-equipped natural/mixed gas. Convertible to LP gas.† |
| Utility Connections (in/mm) | 3/8" NPT (9.5 mm) |
| Air Outlet Diameter (in/mm) | 4" (102 mm) |
| Exhaust Airflow*** | 220 (105 liters/sec.) |
| Maximum Exhaust Static Back Pressure | 0.6" W.C. |
| Activation | Coin-Op. / Smart-Card |
| Top Finish | Porcelain |
| Electrical Specifications & Circuit Requirements | Gas: 120/60/1-15 amp Electric: 120/240/60/1-30 amp |
| Colors | White / Bisque |
| Net Weight | Gas: 145 lb (66 kg) Electric: 140 lb (64 kg) |
| Shipping Weight | Gas: 150 lb (68 kg) Electric: 145 lb (66 kg) |
| Agency Approvals | Gas: Design AGA Electric: UL |

STACKED UNIT

| | |
|------------------|---|
| Electric: | STEA17 / STGA19 STEB17 / STEF17 STGB19 / STGF19 STEY17 / STEZ17 STGY17 / STGZ17 |
| Width (in/mm) | 26 7/8" (683 mm) |
| Depth (in/mm) | 28" (711 mm) |
| Height (in/mm) | 76 1/2" (1943 mm) |
| Net Weight | Gas: 375 lb (170 kg) Electric: 370 lb (168 kg) |
| Shipping Weight | Gas: 390 lb (177 kg) Electric: 385 lb (174 kg) |
| Agency Approvals | UL, AGA |

Refer to the separate washer and dryer charts for all other specifications of stacked unit.

Due to continuous product improvements, design and specifications subject to change without notice. The quality management systems at all Alliance Laundry Systems facilities have been awarded ISO 9001 certification. Features and certifications may vary by model.



* Electric Model ** Gas Model

***Measured at point of exit from dryer.

†IMPORTANT: Any product revisions or conversions must be made by the Manufacturer's Authorized Dealers, Distributors, or local service personnel.



www.speedqueen.com

Speed Queen
Alliance Laundry Systems