

Speed Queen

MULTI-HOUSING ELECTRONIC DISPLAY CONTROL™

SWT520/SWT521 Topload WASHER
SDE507/SDG509 SINGLE LOAD DRYER
SSE507/SSG509 STACK DRYER - Solid Door



Speed Queen®

OUR STRENGTH COMES FROM WITHIN

LET SPEED QUEEN LEAD THE WAY...

As America's largest commercial laundry equipment manufacturer, Speed Queen stands for innovation. As a leader in multi-housing laundry technology, our electronically-controlled washers, dryers and stacked dryers will provide you with quality, efficiency, convenience, and flexibility well into the 21st century. Since 1908 we have been committed to our tradition of quality products, backed by superior customer service.

NetMaster™ System with EDC Controls

Speed Queen's NetMaster™ System with technologically advanced EDC laundry products offer more flexibility and accountability benefits than you ever thought possible. Your route operator can program vend prices, cycle times, and cycle selections for all types of multi-housing market channels – apartments, condominiums, colleges, military, and camp-grounds.



The hand-held Micro-Wand III™ gives you new infrared technology allowing two way communication and easy on-site programming and data retrieval. It's almost like having laundry equipment built to your specifications.

Your authorized Speed Queen route operator can design a laundry solution to meet the needs of your property. Residents will appreciate the added convenience and property management benefits from increased productivity created by Electronic DISPLAYcontrol™ laundry equipment.

Energy Saving Washer

- The EDC commercial topload washers are factory-equipped with an energy efficient wash cycle. The special "Energy Saver" cycle has low water consumption, using only 33.5 gallons per DOE "J1" Testing. All cycles default to cold water final rinse to reduce hot water consumption. The average hot is only 5.41 gallons per cycle.



- The "Energy Saver" cycle reduces water consumption by 35% versus homestyle, in-unit apartment topload washers.
- The wash cycle is designed exclusively for Multi-Housing laundry rooms with extended wash, rinse and spin times for superior washing performance.
- *Multi-Housing cycle 27.50 min. plus fill*
- *360° wet down of clothes*
- *2-speed agitation*
- *"True" delicate cycles*
- *Industry fastest spin of 710 rpm*



Topload Washer
SWT520/521

Multi-Housing Line

ELECTRONIC DISPLAYCONTROL™

Superior Wash/Rinse Action

- Curved four vane polypropylene agitator with 210° wash stroke, longest in the industry, produces superb washing results.



High Speed Spin-Extract

- With a higher spin speed of 710 rpm, clothes come out drier. In fact, the higher spin speed of these new models will lower moisture retention by 3.4% over previous models. This means faster drying, increased cycle turns, and satisfied users.

Automatic Balance System

- Residents will appreciate the **Automatic Balance System (ABS)** for smooth and quiet operation, even on wood floors. The ABS provides the industry's best out-of-balance handling, completing wash cycles without interruption.



Quality Washer Components

- Durable stainless steel and porcelain enamel washtub.
- Scratch resistant hard-baked porcelain enamel tops and lids.
- Long lasting galvanized steel cabinet.
- Strong Box™ security on meter case.
- Dependable, Eversmooth™ transmission.
- Heavy-duty, 1/2 HP, 2-speed motor.
- Start capacitor lowers amperage draw.
- Corrosion-resistant polypropylene pump.
- Pump clips for service convenience.
- Rear self-leveling legs.
- Unit is 100% front serviceable.

Superior Convenience

- A wide door opening of 2.06 sq. ft. is the industry largest, offering residents easy loading and unloading.
- Door is reversible for installation flexibility, and up-front lint filter is easy to clean and secured.



Drying and Energy Dynamics

- Durable galvanized steel cylinder with extra large 18 lb capacity. The gentle tumble action minimizes wrinkles.
- Quiet, high efficiency exhaust blowers with superior airflow of 220 cu. ft. per minute for fast drying and lower operating costs.
- Efficient dryer heating with 25,000 BTU (gas models) and 5,350 watts (electric models).

Stack Dryer Features

- A space saver! Two dryers in the space of one, both operating independently.
- 100% serviceable from the front.
- Strong Box™ center section security module to reduce vandalism.



Dryer
SDE507/SDG509



Stack Dryer
SSE507/SSG509

Control Options



Washer Electronic Control



Dryer Electronic Control

Washer

Our advanced micro-processor control is user-friendly, with digital displays that show vend price, coin and time countdown and cycle status, to maximize customer turnover.

Dryer

Attractive graphic design with sweet spot finger indications on the touch-pad selector that guide the user on cycle activation. The lighted LED and audible beep verify accurate selections.

Customers value the flexibility of the nine wash cycles and four drying temperatures, and owners benefit by building traffic with special promotions.

Activation



Coin Drop

Speed Queen offers many activation options to meet your specific market needs.

The coin drop with its all-metal design, reduces coin jamming and provides superior coin validation.

Strong Box™ Security system on both washers and dryers provides top of the industry security to deter vandalism.

Durable porcelain enamel tops and lids resist corrosion, scratching, and assure long lasting appearance.



Exceptional Choices

MULTI-HOUSING LAUNDRY EQUIPMENT

■ PRODUCTS

Our 90-year reputation for quality products with innovative technology is supported by our position as North America's largest manufacturer of commercial laundry equipment.

■ SYSTEMS

Our customized systems for coin vending includes NetMaster™ software with Electronic DISPLAYcontrol™ for computerized programming and data retrieval.

■ SERVICES

Our route operators are certified by Speed Queen's Customer One Service program, guaranteeing building managers the highest level of service.



Speed Queen

The Right Choice For You

Specifications

WASHER

	SWT520 SWT521
Width - in (mm)	25 5/8" (651)
Depth - in (mm)	28" (711)
Height - in (mm) (to work surface)	43" (1092) 36" (914)
Basket Volume - cu. ft. (liters)	2.69 (76)
Water Temperatures	Hot, Warm and Cold
Cycles	Normal, Permanent Press or Delicate
Cycle Time	Factory pre-set at 27.5 minutes plus fill; owner adjustable
Water Pressure	Pressure fill - 20 to 120 psi (1.4/8.3 Bar)
Spin Speed - (rpm)	High 710 Low 473
Motor (Capacitor Start and Thermal Protected)	2-speed, 1/2 HP reversing for 1725 or 1140 rpm
Top and Lid Finish	Porcelain
Activation	Coin-Operated/EDC
Colors	White, Bisque
Electrical Specifications and Circuit Requirements	120/60/1-15 amp
Net Weight - lb (kg)	190 (86)
Shipping Weight - lb (kg)	210 (95)
Agency Approvals	UL

At Speed Queen, we're confident that our heavy-duty commercial washers and dryers are built better to last longer, that we're offering the following limited warranty to prove it: **Through three years*** - Any part of the washer, dryer or stack dryer. **Through five years*** - The washer transmission assembly. **Lifetime*** - The stainless steel tub.

* Parts only. Labor not included. See Speed Queen Warranty Bond for specifics.

DRYER

	SDE507 SDG509
Width - in (mm)	26 7/8" (683)
Depth - in (mm)	28" (711)
Height - in (mm) (to work surface)	43" (1092) 36" (914)
Cylinder Volume - cu. ft. (liters)	7.0 (201)
Motor HP	1/3 HP, 5.5 amps
Motor RPM	60 Hz: 1725 RPM
BTU Per Hour	25,000 (6,300 kcal)
Heating Element	5350 watts, 240 volt. Also 4750 watts, 208 volt.
Type of Gas (Gas models only)	Factory-equipped natural/ mixed gas. Convertible to LP gas.**
Utility Connections - in (mm)	3/8" NPT (9.5)
Air Outlet Diameter - in (mm)	4" (102)
Exhaust Airflow*	220 (105 liters/sec.)
Maximum Exhaust Static Back Pressure	0.6" W.C.
Activation	Coin-Operated/EDC
Colors	White, Bisque
Electrical Specifications and Circuit Requirements	Electric: 120/240/60/1-30 amp 120/208/60/1-30 amp Gas: 120/60/1-15 amp
Net Weight - lb (kg)	Electric: 135 (61) Gas: 140 (64)
Shipping Weight - lb (kg)	Electric: 145 (66) Gas: 150 (68)
Agency Approvals	Electric: UL Gas: CSA Star

* Measured at point of exit from dryer.

** IMPORTANT: Any product revisions or conversions must be made by the Manufacturer's Authorized Dealers, Distributors, or local service personnel.

Due to continuous product improvements, design and specifications subject to change without notice. The quality management systems at Alliance Laundry Systems manufacturing facilities are registered as ISO9001:2000 compliant. Features and certifications may vary by model.

© Copyright 2005 Alliance Laundry Systems LLC

STACK DRYER

	SSE507 SSG509
Width - in (mm)	26 7/8" (683)
Depth - in (mm)	28" (711)
Height - in (mm)	76 1/2" (1950)
Door Type	Solid
Cylinder Volume - cu. ft. (liters)	7.0 (201)
Motor HP	1/3 HP, 5.5 amps
Motor RPM	60 Hz: 1725 RPM
BTU Per Hour	25,000 (6,300 kcal)
Heating Element	5350 watts, 240 volt. Also 4750 watts, 208 volt.
Type of Gas (Gas models only)	Factory-equipped natural/ mixed gas. Convertible to LP gas.**
Utility Connections - in (mm)	3/8" NPT (9.5)
Air Outlet Diameter - in (mm)	4" (102)
Exhaust Airflow*	220 (105 liters/sec.)
Maximum Exhaust Static Back Pressure	0.6" W.C.
Activation	Coin-Operated/EDC
Colors	White, Bisque
Electrical Specifications and Circuit Requirements	Electric: 120/240/60/1-30 amp 120/208/60/1-30 amp Gas: 120/60/1-15 amp
Net Weight - lb (kg)	Electric: 265 (120) Gas: 275 (125)
Shipping Weight - lb (kg)	Electric: 280 (127) Gas: 290 (132)
Agency Approvals	Electric: UL Gas: CSA Star



www.speedqueen.com

Water Usage Chart*

CYCLE*	TEMP.	HOT	COLD	TOTAL WATER CONSUMPTION
Normal	Hot	15.9	17.6	33.5 Gallons
Perm. Press**	Warm**	6.5	27.0	33.5 Gallons
Delicate	Cold	0.0	33.5	33.5 Gallons

* These water usages may vary from your particular application. The chart represents Speed Queen test averages calculated using DOE "J1" testing.
** Standard Factory Setting.
Modified Energy Factor 1.20.

Speed Queen
Alliance Laundry Systems