### **ON-PREMISES LAUNDRY**

## Tumble Dryers and Stack Tumble Dryers

25 lb Tumble Dryer 30 lb Tumble Dryer 35 lb Tumble Dryer 55 lb Tumble Dryer 30 lb Stack Tumble Dryer 45 lb Stack Tumble Dryer

## **Speed Queen**®





# THE BEST IN CLASS JUST GOT BETTER.

100 years. It's a long time for any company to be at the forefront of an industry. And you'd think that a company that's been able to lead for that long must have a finely honed craft — a premier product. Well, you'd be right. For more than a century, Speed Queen has built a legacy on providing equipment that stands up to any commercial laundry challenge. We make no compromises in performance. We refuse to be outdone in reliability and efficiency. Our commitment to quality is only matched by our commitment to your success. The result? The most profitable machines in the industry — bar none.











Some of our competitors may think that a residential machine wrapped in a rugged exterior passes for commercial grade. We believe that strength comes from within. Speed Queen machines are built specifically for the commercial environment. We use metal where others use plastic. Our world-class Test Lab rigorously pushes our products far beyond the conditions they'll face in the field. We believe in being there when our customers need us most. And we go the extra mile at every point of our manufacturing process to ensure that our machines reflect that belief.

For commercial laundry equipment designed for use in fire departments, health care facilities, hotels, correctional facilities, spas, salons, athletics organizations or another industry application, you can rely on the proven performance of Speed Queen to make your life simpler and more productive.

Made in America and refined for more than a century, Speed Queen Laundry equipment represents a secure investment for your on-premises laundry facility.

# DEDICATED TO A HIGHER STANDARD

Uncomplicated. Uncompromising. Unmatched. Enjoy heavy-duty construction that will provide reliable operation for years to come.

Our single pocket tumble dryers feature a concentrated airflow pattern and sealed cylinder rims to ensure maximum air utilization and energy savings. This superior drying performance helps laundries maximize throughput to meet the daily workload without the need for added shifts or costly overtime. Our tumble dryers are designed with fewer moving parts, so that you'll face fewer maintenance problems and less wear and tear. We make it even easier with a large, easy-to-clean lint compartment and a heavy-duty door hinge designed to withstand heavy usage.

#### FASTEST MOST EFFICIENT DRYING PROCESS

Axial air flow pattern ensures maximum air utilization for labor and energy savings.

## UNMATCHED RELIABILITY

Quality construction for reliable performance that is backed with a 3-year warranty.

#### EASY MAINTENANCE

Large, easy to clean lint compartment simplifies clean-up



#### OVER-DRY PREVENTION TECHNOLOGY (OPT)

Reduce linen, labor and utility costs with the precise drying performance of OPT.

### REVERSING CYLINDER OPTION (For Single Pocket Models)

Ensures even drying and prevents tangling for easy removal of loads.

#### **QUANTUM GOLD**



Quantum Gold offers three modes of operation (time, auto and moisture dry) along with the flexibility of 30 programmable cycles and optional moisture sensing technology (OPT) that prevents over drying, saving time and energy.

#### **DUAL DIGITAL**



Set drying time, temperature and cool down. Features include one touch cycle repeat, automatic extended tumble and large digital countdown display.



## ON PREMISES TUMBLE DRYER SPECIFICATIONS

Capacity	25 lb	30 lb	35 b	55 lb	30 lb stack	45 lb stack
Width	28"	28″	31-1/2"	34-1/2"	31-1/2"	34-1/2"
Depth	40-7/8"	46-7/8"	46-7/8"	53-5/8"	42-7/8"	48-5/8"
Height	63-7/8"	63-7/8"	63-7/8"	66-3/4"	76-1/4″	81-1/16"
Cylinder Diameter	26-1/2"	26-1/2"	30″	33"	30"	33"
Cylinder Depth	24"	30"	30″	35″	26"	30″
Cylinder Volume	7.7 cu.ft.	9.6	12.3	17.3	10.6	14.8
Reversing Cylinder	Option	Option	Option	Option	N/A	N/A
Door Opening Size	22-11/16"	22-11/16"	22-11/16"	26-7/8"	22-5/8"	26-7/8"
Energy data Gas Models - Per Pocket Steam Models - 100 psi Electric Models	64,000 Btu/hr 135,000 Btu/hr 12kW	73,000 Btu/hr 135,000 Btu/hr 21kW	90,000 Btu/hr 166,000 Btu/hr 24kW	112,000 Btu/hr N/A 27kW	73,000 Btu/hr 111,000 Btu/hr 21kW	95,000 Btu/hr N/A N/A
Gas Connections	Gas 1/2" NPT	Gas 1/2" NPT	Gas 1/2" NPT	Gas 1/2" NPT	Gas 1/2" NPT	Gas 1/2" NPT
Plumbing Connections - Steam	3/4" NPT	3/4" NPT	3/4" NPT	N/A	3/4" NPT	N/A
Air Outlet	6	6	8	8	1 x 8	1 x 10
Motor - HP	1/4	1/4	1/4	1/2	2 x 1/4	2 x 1/2
Airflow	500 cfm	500 cfm	650 cfm	700 cfm	2 x 400 cfm	2 x 600 cfm
Net Weight	299 lb	331 lb	361 lb	435 lb	544 lb	673 lb
Electrical Specs Gas & Steam 100/200-220/60/1 120/208-240/60/1 200-208/240/60/3 208-240/60/1 380/60/3 460-480/60/3 Electric 208/60/1	Amps-Non Rev (Rev)  11/5.8 12/6.7 3.2/3.2 (4/4) N/A 1.5 (2) 1.6 (2)	Amps-Non Rev (Rev)  11/5.8 12/6.7 3.2/3.2 (4/4) N/A 1.5 (2) 1.6 (2)	Amps-Non Rev (Rev)  11/5.8 12/6.7 3.2/3.2 (4/4) N/A 1.5 (2) 1.6 (2)	Amps-Non Rev (Rev)  9.8/4.9  9.2/6.5  4.0/3.9 (4/4.5)  N/A  N/A  129	Amps  22/11.6 16/8.0 6.4/6.4 N/A 3.0 3.3	N/A N/A 9.6/9.6 12.0 N/A N/A
240/60/1 200/60/1 200-208/60/3 240/60/3 380/60/3 460-480/60/3	57 64 37 (37) 33 (33) 20 (20) 16 (16)	94 108 62 (62) 54 (54) 33 (33) 27 (27)	107 122 71 (71) 62 (62) 38 (38) 31 (31)	115 125 79 (79) 65 (65) N/A N/A	N/A N/A 62 x 2 54 x 2 33 x 2 27 x 2	
Shipping Weight	332 lb	364 lb	394 lb	476 lb	582 lb	718 lb
Shipping Width	30″	30″	33″	35-1/2"	32-1/2″	35-1/2"
Shipping Depth	43"	49"	49"	59"	47"	54"
Shipping Height	69"	69"	69"	72″	81″	85″
Agency Approvals	CSA, CE	CSA, CE	CSA, CE	CSA, CE	CSA, CE	CSA, CE

Tumble dryer models are made to suit a variety of electrical service characteristics. See your Speed Queen distributor for specifications. For further details on installation, refer to Installation, Operation and Maintenance instructions supplied with the tumble dryer. Amperage ratings available in Installation Manual. For the most accurate information, the installation guide should be used for all design and construction purposes. Due to continuous product improvements, design and specifications subject to change without notice. The quality management system of Alliance Laundry Systems' Ripon facility has been registered to ISO 9001:2000.

Printed in the U.S.A.

speedqueen.com

