

Huebsch[®]

Huebsch

**Coin-Operated & Card-Ready
Frontload Washers,
and Stack Washer/Dryer**



Serving the Laundry Industry For Over 90 Years





Because laundry ownership can be demanding, Huebsch does a lot of the thinking for you. Our washers and dryers feature a variety of control options, an energy-efficient design, quality internal components and a high security system that reduces the chance for vandalism.

At Huebsch we are in the business of making your life easier with machines that make it easier for you to do business.

Unmatched Warranty

At Huebsch, we're so confident that our quality washers and dryers are built to last, we offer a **THREE** year warranty* on the entire machine.

*Parts only, labor not included.
See Huebsch Warranty Bond for specifics.

3 year warranty

Micro-Display Control

The all new Micro-Display Control (MDC) from Huebsch was designed with maximum USER-FRIENDLINESS in mind.

Customer Friendly Features:

- Attractive Electronic Display
- Time Remaining Countdown
- Coin Countdown (w/audible signal)
- Easy-To-Read Cycle Status Lights



Washer MDC



Dryer MDC

Owner Friendly Features:

- FANTASTIC Ease-of-Use for Customers
- Superior Energy Efficiency
- Cycle Programmability
- Factory Installed Drop Coin Meter
- Non-resettable Manual Audit

Free-Standing Design



Huebsch Horizon washers feature a rugged design with four shock absorbers to absorb the energy and vibration generated by the washer's 1000 rpm spin speed. This free-standing design allows the washer to be installed virtually anywhere.

Horizon washers also feature stainless steel inner and outer cylinders for a lustrous appearance and long-lasting durability.



Stack Washer/Dryer

This innovative stacked concept takes up half the floor space that a conventional washer and dryer do when situated side by side. Both the washer and dryer have the same hook ups and connections as a standard washer and dryer, so no additional plumbing or electrical change is needed. Having a window in both the washer and dryer enables customers to view their entire laundering process.



Activation Options

Huebsch offers you a choice of either electronic or electro-mechanical controls. Our Micro-Display Control models feature a factory-installed (all metal) coin drop, or they can be easily interfaced with most any after market card reader system.

Micro-Display Controls



Frontload Washer (Coin-Op)
Front Control



Frontload Washer (Card Ready)
Front Control



Frontload Washer (Coin-Op)
Rear Control



Frontload Washer (Card-Ready)
Rear Control



Stack Washer/Dryer (Coin-Op)



Stack Washer/Dryer (Card-Ready)

Electro-Mechanical Controls



Frontload Washer (Coin-Op)
Rear Control

Energy Efficiency

With Huebsch washers, efficiency is built in with a low 19.2 gal per cycle water consumption* and energy-saving cold water rinses. Together, our low water usage and super-fast 1000 rpm spin speed mean faster drying and lower energy usage.

*DOE tests



In fact, all horizon washers and stack washer/dryers are so efficient they meet all U.S. Dept. of Energy requirements to be Energy Star Qualified.

ADA Compliant

Huebsch front-mounted controls and supply dispensers meet ANSIA 117.1 handicap accessibility requirements.



Frontload Washers and Stack Washer/Dryer

| Washers | HWFY61 HWFT61 | HWR961 HWRY61 HWRT61 |
|----------------------------------|--|--|
| Width (in/mm) | 26.87" (682 mm) | 26.87" (682 mm) |
| Depth (in/mm) | 28" (711 mm) | 28" (711 mm) |
| Height (in/mm) | 43.6" (1107 mm) | 43" (1092 mm) |
| Water Temperatures | Hot, warm and cold | Hot, warm and cold |
| Cycle E-mech: | Normal, Permanent Press or Delicate | Normal, Permanent Press or Delicate |
| Total Cycle Time E-mech: | Approx. 30 min. | Approx. 30 min. |
| Cycle MDC: | Normal/Hot Normal/Warm Permanent Press/Warm Delicate/Cold | Normal/Hot Normal/Warm Permanent Press/Warm Delicate/Cold |
| Total Cycle Time MDC: | Approx. 27 min. | Approx. 27 min. |
| Basket Volume (DOE cu. ft.) | 2.84 (80 liters) | 2.84 (80 liters) |
| Water Pressure | 20 - 120 p.s.i. (1.4/8.3 Bar) | 20 - 120 p.s.i. (1.4/8.3 Bar) |
| Spin Speed | High 1000 rpm Medium 650 rpm Low 500 rpm | High 1000 rpm Medium 650 rpm Low 500 rpm |
| Control Location | Front | Rear |
| Motor | Multi-speed 3/4 HP | Multi-speed 3/4 HP |
| Top Finish | Porcelain | Porcelain |
| Colors | White/Bisque*** | White/Bisque*** |
| Electrical Specifications | 120/60/1 - 15 amp | 120/60/1 - 15 amp |
| Net Weight | 265 lb (120 kg) | 260 lb (118 kg) |
| Approx. Domestic Shipping Weight | 275 lb (125 kg) | 270 lb (122 kg) |
| Agency Approvals | UL, CSA | UL, CSA |

***Card-Ready, HWFY61, HWRY61 and ALL STACKED EQUIPMENT are available in WHITE ONLY

| Stack Washer/Dryer | Elec. Dryer: HTEY17, HTET17 |
|---------------------------|---|
| | Gas Dryer: HTGY19, HTGT19 |
| Width (in/mm) | 26.87" (683 mm) |
| Depth (in/mm) | 28" (711 mm) |
| Height (in/mm) | 76.5" (1943 mm) |
| Net Weight | Gas: 405 lb (184 kg) Elec: 400 lb (181 kg) |
| Shipping Weight | Gas: 420 lb (190 kg) Elec: 415 lb (188 kg) |
| Agency Approvals | UL, CSA, CSA Star, CSA Flame |

See washer and dryer charts for detailed specifications.

| Dryer | |
|--|---|
| Cylinder Volume | 7.0 cu. ft. (201 liters) |
| Cycles | High Temp Medium Temp Low Temp Delicate |
| Motor HP | 1/3 HP, 5.5 amps |
| Heating Element | 5350 watts, 240 volt/4750, 208 volt |
| Btu Per Hour | 25,000 (6,300 kcal) |
| Type of Gas (Gas models only)* | Factory-equipped natural/ mixed gas. Convertible to LP gas. |
| Utility Connections | 3/8" NPT (9.5 mm) |
| Air Outlet Diameter | 4" (102 mm) |
| Exhaust Airflow** | 220 (105 liters/sec.) |
| Maximum Exhaust Static Back Pressure | 0.6" W.C. |
| Electrical Specifications & Circuit Requirements | Gas: 120/60/1-15 amp Electric: 120/240/60/1-30 amp |
| Colors | White*** |
| Agency Approvals | UL, CSA, CSA Star, CSA Flame |

*208V operation requires field conversion (see note below).

**Measured at point of exit from dryer.

IMPORTANT: Any product revisions or conversions must be made by the Manufacturer's Authorized Dealers, Distributors or local service personnel.

Due to continuous product improvements, design and specifications are subject to change without notice. Features and certifications may vary by model.

The quality management systems at all Alliance Laundry Systems facilities have been awarded ISO 9001 certification.

©Copyright 2003 Alliance Laundry Systems LLC